



CREASHADE
SUN SHADING SOLUTIONS




Creating healthy spaces

THE EXTRAORDINARY SUN PROTECTION SYSTEM FOR EVERY VERANDA

Verandascreen®

- The budget-friendliest solution to your heat problems
- Its automated system makes Verandascreen® extra comfortable, safe and energy-efficient
- Unequalled screen tension thanks to the sophisticated stretching system



DOMESTIC USE



VERANDA MARKET

INTRODUCTION

Verandascreen® has for many years enjoyed fame as an extremely efficient budget-friendly outside sun protection screen for both traditional and modern verandas. It is a reliable and beautifully finished sun protecting system. Its discrete design and wide range of colour options in fabrics and profiles make Verandascreen® fit perfectly into your home.

Its high-technology screen fabrics ensure comfortable ambient temperatures.

Verandascreen® filters bright sunlight to achieve a pleasant environment, thus helping prevent discoloration of your interior.

Verandascreen® is conveniently and quickly installed by your installation professional and comes with a 5 year warranty.



PRODUCT

- Years of experience have made Verandascreen® the leader in veranda sun protection systems
- Solid, reliable and beautifully finished sun protection system
- Powered by an electric tubular motor
- Unequalled screen tension thanks to its ingenious stretching system
- Profiles available in all RAL colours
- All screens have a very high sun protection coefficient

APPLICATIONS

- Applicable to all horizontal or inclined glazing, such as verandas, glass roofs, skylights, pergolas, conservatories, ...
- New construction and renovation
- Verandascreen® is highly suitable for construction projects, which are very demanding in terms of sun protection screens. For best results we recommend consultation between the construction designer, the project developer and the sun protection screen supplier at an early stage.

TECHNICAL FEATURES

Verandascreen® is custom-made at width of up to 4.5 meters and projection up to 7 meters. The screen surface per element can reach up to 21 m².

Two screens can be joined to obtain a maximum width of up to 9 meters.





Cherfan Draperies S.A.R.L., Jal El Dib Main Roan, P.O.Box 60-367 Beirut Lebanon

T + 961 4 710061 F + 961 4 719061 E info@creashade.com W www.creashade.com

Canada Branch: Creashade Canada Inc., 505 Industrial, Road Unit B2, Ottawa, Ontario K1G OZ1

T + 1 613 627 3959 M + 1 613 794 0097