



CREASHADE
SUN SHADING SOLUTIONS

A COMBINATION OF VENTILATION AND SUN SHADING FOR A TOTAL LIVING COMFORT

SCREENVENT®

MINIMAL INSTALLATION SIGHTLINE TO ASSIST IN AESTHETICAL APPEARANCE OF THE BUILDING

SELF REGULATING VENTILATION TO CONTROL AIRFLOW EVEN DURING STRONG WIND GUSTS

NATURAL AND ENERGY-FRIENDLY COMFORT SOLUTION

A SECURE VENTILATION WITH CLOSED WINDOWS: INSECT PROOF, BURGLAR PROOF AND RAINPROOF.



SCREENVENT®

INTRODUCTION

RENSON has developed the SCREENVENT® in order to improve the following aspects of the living and working comfort :

- *the physical comfort:* fresh and healthy air without draughts
- *the thermal comfort:* up to 90% reflection of solar heat
- *the visual comfort:* control of the light level, no reflections, the outside view is not obstructed



SECTION DETAIL

PRODUCT

- Aluminium profile with thermal bridge installed on top of the window frame and mainly hidden by the façade
- Easily removable inner profile for cleaning purposes and replacement of the screen
- Integrated motor system
- Ventilation control by means of 5 stepped settings
- A self-regulating flap controls the airflow and minimises draughts
- Inner profile can accept Gypsum board and many other internal finishes
- Easy to maintain as parts are removable from the inside



INSIDE VIEW

APPLICATIONS

- On all types of windows: aluminium, timber, PVC
- For new buildings as well as for renovation
- For residential dwellings as well as hospitals, offices, schools and many other commercial applications
- Ventilation available with manual, cord or rod controls
- Sun protection available with manual control or electrical control



OUTSIDE VIEW

TECHNICAL FEATURES

- Self-regulating class P3
- Airflow at 2Pa : 50 m³/h/m, 8200 mm²/m
- Free area : 1500 mm²/m
- Water tightness in closed position up to 650 Pa
- The front to back dimensions of the ventilator can be adapted between 50 - 135 mm and will therefore easily fit to the majority of the window and curtain walling systems



INSIDE VIEW

Conditional technical changes



Cherfan Draperies S.A.R.L., Jal El Dib Main Roan, P.O.Box 60-367 Beirut Lebanon

T + 961 4 710061 F + 961 4 719061 E info@creashade.com W www.creashade.com

Canada Branch: Creashade Canada Inc., 505 Industrial, Road Unit B2, Ottawa, Ontario K1G OZ1

T + 1 613 627 3959 M + 1 613 794 0097